




FOR SMALL & MEDIUM HYDROPOWER PLANTS






SMALL & MEDIUM HYDROPOWER OPPORTUNITIES

HYDROPOWER OFFERS NEW OPPORTUNITIES FOR THE WORLD.

Small & Medium Hydropower plants are a low cost and environment friendly source of electrical energy. An area with large untapped potential, is available in most part of the world. The technology to exploit this potential is well proven and reliable.



Identified SHP potential by country (MW). Source: World Small Hydropower Development Report 2016.



HYDROPOWER EQUIPMENT MANUFACTURERS
GLOBALLY, BY LEVERAGING TECHNOLOGICAL
AND COMMERCIAL ACUMEN, TO EXCEED
CUSTOMER EXPECTATION AND TO BE
THE MOST RESPECTED BRAND."



As manufacturer of Hydraulic Turbines and Valves, we are a full line supplier of Electromechanical Equipment & Services for Small & Medium Hydropower projects and aftermarket services for the existing power plants.

We provide Turnkey Hydropower Solutions – with cohesive integration of design, manufacturing, execution and service support. With our incessant focus on quality and total customer satisfaction, we have set new benchmarks in 'implementation finesse' that have translated into sustainable benefits for our customers.

ADVANTAGE ON YOUR SIDE

CONTRACTING

- » No hidden clauses
- » Dedicated point of contact

SOLUTION DEVELOPMENT

- » Collaborative approach
- » Fully equipped, technologically advanced design facilities

PRODUCT MANUFACTURING

- » State-of-the-art manufacturing facilities
- » Global standard quality checks & processes

PROJECT IMPLEMENTATION

- » On time as guaranteed delivery
- » Faster response time to issues

POST IMPLEMENTATION

- » High plant availability
- » Quick response to any issue

Single source responsibility

Senior management involvement

Safe and high-performance products

Within budget, on time delivery

Lower Cost of Ownership translating into higher returns

Manufacturing facility

Profits & Peace of Mind



FLOVEL is certified for Integrated Management Systems, which includes ISO:9001, ISO:14001, OHSAS 18001 and CE Certification







WATER TO WIRE PROGRAM FOR BEST RETURN ON INVESTMENT

OPTIMUM SOLUTIONS UP TO 60 MW UNITS

Each Hydropower plant has unique challenges. FLOVEL helps turn these challenges into opportunities. FLOVEL works collaboratively, brings new ideas to the project design to result in a safe plant with higher productivity. FLOVEL has the knack of delivering projects on time. Optimal technology deployment, time-bound execution and quick response are integral to FLOVEL's functioning.

FACTS


- » Integrated solutions with minimized interfaces
- » Minimized civil construction cost
- » High Quality
- » Short delivery time
- » Cost effectiveness
- » High performance & reliability
- » Environment friendly solutions
- » Workshop assembly for reduced erection time
- » Fast commissioning of overall systems, training of operating and maintenance staff
- » After sales service



Civil / Hydro Mechanical

Turbine, Valve, Governor & Auxiliaries








MODEL TEST

Should the customer require a model test to be performed, FLOVEL is equipped to have a model test conducted at an accredited / independent model testing laboratory.




FEM

Finite element method (FEM) tools for calculating stresses, strains and deflections in components of a hydraulic turbine.

KARSBOL CONSULTING AB., SWEDEN

» Karsbol is a world leading technology provider for hydraulic turbines based out of Sweden. Karsbol specialises in research and development and design of Pelton, Francis, Kaplan and Axial Flow units.




CFD


Tools to accurately predict flow characteristic. CFD is used to improve hydraulic design of turbine water passages, including the runner and static components. For renovation projects CFD is a very important tool for improving turbine output, efficiency and cavitation characteristics.



PRODUCT OVERVIEW

FLOVEL is manufacturing complete range of Hydraulic turbines (Pelton, Francis, Kaplan, Axial flow units) upto 1,000 meter head and 100 m³/sec discharge. These turbines are manufactured to the highest quality standard and designed for optimal performance and high reliability.






PELTON TURBINES

for high head applications

Pelton Turbine is an impulse turbine used primarily for applications with high head and small flows. FLOVEL's Pelton turbines are based on decades of know-how and state-ofthe-art technology. These Pelton turbines guarantee the highest operating efficiency and reliability.





» Fully Forged or Cast runner

- » Runner mounted on extended shaft of the generator
- » Full unit assembled in factory and shop tested
- » Internal or external Servomotor options
- » Simple interface with civil works
- » Guarantees for efficiency based on model test

Application Range:

- » Heads up to 1,000 Meters
- » Horizontal axis (1 to 3 jets)
- » Vertical axis (2 to 6 jets)


KAPLAN TURBINES

for low head applications

Kaplan Turbine is a reaction turbine used primarily for applications with low head and large flows. FLOVEL's Kaplan turbines are based on decades of know-how and state-of-the-art technology. These Kaplan turbines guarantee the highest

operating efficiency and reliability





FEATURES

- » Oil free runner hubs
- » Internal or external Servomotor option
- » Maintenance free water-lubricated guide bearing
- » Blade dismantling without runner removal
- » Library of 20 models available to choose from
- » Guarantees for output, efficiency and cavitation based on model test

Application Range:

- » Heads up to 70 Meters
- » Runners with 3 to 8 blades
- » Double or Single regulated
- » With or without Gearbox
- » Steel, Concrete Spiral or Syphon Intake

FEATURES

- » Weld fabricated or Forged runners
- » Library of 40 models available to choose from
- » Guarantees for output, efficiency and cavitation based on model test
- » Runner mounted on extended shaft of the generator
- » Common base frame concept for horizontal units

Application Range:

- » Heads up to 450 Meters
- » Horizontal or Vertical axis
- » Steel or Concrete Spiral

FRANCIS TURBINES for medium head applications

Francis Turbine is a reaction turbine used primarily for applications with medium head and large flows. FLOVEL's Francis turbines are based on decades of know-how and state-of-the-art-technology. These Francis turbines guarantee the highest operating efficiency and reliability.




FEATURES

- » Library of 20 models to choose from
- » Oil free runner hubs
- » Internal or external Servomotor option
- » Maintenance free water-lubricated guide bearing
- » Blade dismantling without runner removal
- » Guarantees for output, efficiency and cavitation based on model test


Application Range:

- » Heads up to 35 Meters
- » Runners with 3 to 6 blades
- » Double or Single regulated
- » With or without Gearbox
- » Horizontal, Diagonal or Vertical orientation

AXIAL FLOW TURBINES for very low head applications Axial Flow units are used primarily for applications with low









VALVES

FLOVEL manufactures full range of Valves under its joint venture with TB Hydro, Poland. These valves are manufactured by JV company TB Hydro Flovel Valves Private Limited.

TYPES

- » Butterfly Valves
- » Spherical / Ball Valves
- » Pressure Relief Valves etc.



MECHANICAL BOP & AUXILIARIES

SCOPE

- » Oil Pressure System for turbine, MIV & PPV
- » Cooling Water System
- » Drainage System
- » Dewatering System
- » Crane
- » Fire Fighting System
- » Ventilation & Air Conditioning System
- » Compressed Air System
- » Bearing Lubrication System
- » Oil Filtration System
- » Flow & Level Measurement System
- » Vibration Measurement System

GENERATOR, AVR & AUXILIARIES

- » Control & Protection System
- » Generator Transformers
- » AC-DC distribution
- » LV and MV-switchgear
- » Bus Ducts
- » Cables, HV, LV, Control & instrumentation
- » Outdoor Switchyard equipment
- » Integration of automation system, governing system, electrical system, mechanical system etc.
- » Digital automation of mechanical, electrical, LV system & other auxiliaries



ELECTRICAL BOP

We deliver tailor-made systems as per customer requirements. Our solutions are safe, reliable and provide cost-effective operation. We are a single source provider ensuring complete service and seamless availability for your hydropower plant and all its components and systems. Our long-term process know-how and control system expertise in hydropower applications coupled with high efficiencies and post implementation service brings the Advantage on your side.

GOVERNOR, AUTOMATION & SCADA



DIGITAL GOVERNOR TECHNOLOGY

- » Integration of automation system, governing system, electrical system, mechanical system etc.
- » Digital automation of mechanical, electrical, LV system & other auxiliaries.

17





Khao Mang, Vietnam

Type of Turbines: Vertical Francis Rated Head: 109.00 m Installed Capacity: 2 x 15,000 kW



Type of Turbines: 'PIT' Type – Axial Flow Rated Head: 6.40 m Installed Capacity: 4 x 3,600 kW









Bac Na, Vietnam

Type of Turbines: Vertical Pelton 4 Jets Rated Head: 279.00 m Installed Capacity: 2 x 9,350 kW



Type of Turbines: Horizontal Francis Rated Head: 26.50 m Installed Capacity: 3 x 2,800 kW



Lebak Barang, Indonesia

Type of Turbines: Horizontal Francis Rated Head: 50.39 m Installed Capacity: 3 x 2,673 kW









Type of Turbines: Vertical Francis Rated Head: 87.50 m Installed Capacity: 2 x 11,600 kW



Installed Capacity: 2 x 3,375 kW

Ghatte Khola, Nepal

Type of Turbines: Horizontal Pelton 2 Jets Rated Head: 322.50 m
Installed Capacity: 2 x 2,750 kW






Khlong Tron, Thailand

Type of Turbines: Horizontal Francis Rated Head: 30.55 m Installed Capacity: 2 x 1,250 kW

Nam Sana, Laos



FURTHER PROJECTS

Ambarlik, Turkey

Type of Turbines: Horizontal Pelton 3 Jets

Rated Head: 247.84 m Installed Capacity: 2 x 4,500 kW

Brua, India

Type of Turbines: Horizontal Pelton 2 Jets

Rated Head: 572.74 m Installed Capacity: 2 x 4,950 kW

Buseruka, Uganda

Type of Turbines: Horizontal Pelton 2 Jets

Rated Head: 316.00 m Installed Capacity: 3 x 3,600 kW

Eglence - I, Turkey

Type of Turbines: Vertical Francis Rated Head: 276.23 m

Installed Capacity: 2 x 18,060 kW + 1 x 8,663 kW

Eglence – II, Turkey

Type of Turbines: Horizontal Francis

Rated Head: 168.90 m

Installed Capacity: 2 x 11,025 kW + 1 x 5,250 kW

Hang Dong B, Vietnam

Type of Turbines: Horizontal Francis Rated Head: 174.00 m Installed Capacity: 2 x 17,500 kW

Nam Cum 4, Vietnam

Type of Turbines: Vertical Francis
Rated Head: 147.60 m
Installed Capacity: 2 x 27,000 kW

Ngoi Hut, Vietnam

Type of Turbines: Vertical Pelton 6 Jets

Rated Head: 322.50 mInstalled Capacity: $2 \times 26,400 \text{ kW}$

Ngoi Hut 2A, Vietnam

Type of Turbines: Horizontal Francis

Rated Head: 91.03 m Installed Capacity: 2 x 4,620 kW

Nilwande, India

Type of Turbines: Vertical Full Kaplan Rated Head: 38.50 m
Installed Capacity: 2 x 4,200 kW

Omokawa, Japan

Type of Turbines: Horizontal Francis
Rated Head: 28.38 m
Installed Capacity: 1 x 110 kW

Perunthenaruvi, India

Type of Turbines: 'S' Type – Axial Flow

Rated Head: 17.33 m Installed Capacity: 2 x 3,300 kW

Ranja Ala Dunadi, India

Type of Turbines: Horizontal Francis Rated Head: 148.50 m Installed Capacity: 2 x 8,250 kW

Segara 2, Indonesia

Type of Turbines: Horizontal Pelton 2 Jets

Rated Head: 140.30 mInstalled Capacity: $2 \times 1,000 \text{ kW}$

Suoi Sap 1, Vietnam

Type of Turbines: Horizontal Francis
Rated Head: 100.38 m
Installed Capacity: 2 x 10,500 kW

Super Mai, Nepal

Type of Turbines: Horizontal Francis
Rated Head: 123.93 m
Installed Capacity: 2 x 4,290 kW

Trung Xuan, Vietnam

Type of Turbines: Vertical Full Kaplan

Rated Head: 17.50 m Installed Capacity: 2 x 5,250 kW

Yan Tann Sien, Vietnam

Type of Turbines: Horizontal Pelton 2 Jets

Rated Head: 633.21 m Installed Capacity: 2 x 9,750 kW



GET IN TOUCH



FLOVEL Energy Private Limited

15/3 Mathura Road, Faridabad – 121008, Haryana, India Phone: +91 129 4090600 Fax: +91 129 4090650

Fax: +91 129 4090650 Email: contact@flovel.net

MANUFACTURING FACILITIES

FLOVEL Energy Private Limited

Mitrol – Deeghot Road (Near Railway Crossing), 72 KM Stone, Delhi-Mathura Road, District Palwal – 121102, Haryana, India

Phone: +91 7082214002, 3 & 4

VIETNAM REPRESENTATIVE

EID / Harmony Power

Room 904, N07B1 Building, Thanh Thai Street, Dich Vong, Cau Giay District, Hanoi, Vietnam Phone: +84915900666 Email: phamha.hydro@gmail.com

NEPAL REPRESENTATIVE

Marron Trading Pvt. Ltd.

Min Bhawan, Kathmandu, Nepal Phone: +977 4106637, 4106638 Fax: +977 4106628 Email: marronmarket@wlink.com.np muktinsharma@wlink.com.np

VALVES PARTNER

TB Hydro Flovel Valves Private Limited

15/3, Mathura Road, Faridabad – 121008 Haryana, India Phone: +91 129 4090600 Fax: +91 129 4090650 Email: contact @tfvalves.com Web: www.tfvalves.com

INDONESIA REPRESENTATIVE

PT. Alam Daya Makmur

Arcamanik Residence, Kav 9, Jalan Endahsari Arcamanik, Bandung, Indonesia Phone: +622 22018597 Fax: +622 22015263 Email: pt_adm@yahoo.com

COLOMBIA REPRESENTATIVE

B & V Ingenieria S.A.S.

Calle 25 Sur # 46 - 15, Casa 118 / Envigado - Colombia. Phone: +57 44442882 Email: gerencia@byv.com.co Web: www.byv.com.co

LAOS REPRESENTATIVE

LEM Consultants Co. Ltd.,

Ban Sokkham Unit 12, Saysettha District, P.O. Box, 6480 Vientiane Capital, Lao PDR Phone: +85621 461978

Email: somsavanh@lemconsultants.com

TURKEY REPRESENTATIVE

GLOBIA Consulting

Ataturk Mah. Vedat Gunyol Caddesi, Yakut Sok, Zumrut Sitesi Blok: 10 Daire1 34758 Atasehir, Istanbul – Turkey Phone: +90 216 548 1220 Fax: +90 216 548 1221 Email: bulent.birol@globia.com.tr Web: www.globia.com.tr

CIS REPRESENTATIVE

JSC "IGHolding RUS"

Presnenskaya emb. 6, build.2, Imperia Tower, Moscow 123371 Phone: +7 495 2222955 Email: info@ighrus.com

CENTRAL & SOUTH AMERICA

Cristhian Escobar

General Manager (Business Development) FLOVEL Energy Private Limited 1C 20-10 Z.17 A19, Guatemala City – 01017, Guatemala Mobile: +502 54136030 Email: cristhian.escobar@flovel.net

PERU REPRESENTATIVE

Romicon Proyectos De Ingenieria SAC

Avenue José Gálvez Barrenechea 765 oficina 703, San Borja, Lima City Republic of Peru Phone: +51 1 3140668 Mobile: +51 996700317 Email: jroldan@romiconing.com